

Dane aktualne na dzień: 28-03-2024 20:59

Link do produktu: <https://winmar.pl/flowcine-xarm-p-172925.html>

# Flowcine Xarm



Cena brutto	59 040,00 zł
Cena netto	48 000,00 zł
Dostępność	Na zamówienie
Producent	Flowcine

## Opis produktu

## Flowcine Xarm

**Wzrost** jest konsekwentny, wyjątkowo słaby, co sugeruje niedobór hormonu wzrostu. Wzrost jest wolniejszy niż u zdrowych rówieśników.

**Abstract**

## RDZENIE SPRĘŻYNOWE

[illegible]

**XARM jest dostarczany z następującymi rdzeniami sprężynowymi:**

Dla lżejszych konfiguracji dostępny jest również lżejszy rdzeń sprężynowy:

# Specyfikacja

- 0 ~~\_\_\_\_\_~~

---

Zawartość

Description

## INTRODUCING THE XARM

The **xARM** is a double section articulated stabilization arm, made from aircraft grade aluminium, solid carbon fibre infused titanium shafts and large stainless steel precision ball bearings. The xARM design is built with simplicity in mind, it's extremely solid and robust with up to 29 Kg / 64 Lbs lift capacity.

The very clean design makes it possible to give a frictionless and noiseless arm with absolute minimum push/pull force (down to 100g for the entire minimum and maximum positions) for its full boom range. All socket blocks are made from film industry proven stainless steel connections, where most leverage of the arm is being transfered. Many other components, as arm posts and shafts, are made from grade 5 titanium to keep the arm weight low, still with minimum flex in the structure when using high payloads.

## THE SPRING CORES

**The xARM** is based on polymer spring cores with a outer shell of Neoprene. Each spring core has a smooth and linear lifting capacity, and when being used near their maximum, they perform their best. Because of this, each spring core has a weight range of about 5 Kg / 11 Lbs, allowing the operator to fine tune the arm to optimal performance. The xARM ships

---

with three different spring cores, to cover a range between 17-29 Kg / 37-64 Lbs. The spring cores are pre-extended and can quickly be changed. The xARM will give the operator a new idea of what it means to work fluently and smoothly with a minimal force needed to maintain any position.

The xARM ships with the following spring cores:

- . Blue 17-22.5 Kg / 37-49.5 Lbs
- . Orange 20-25.5 Kg / 44.5-56 Lbs
- . Purple 23.5-29 Kg / 52-64 Lbs

For lighter setups there are also a lighter spring core available:

- . Teal 8-14 Kg / 17.5-31 Lbs
- . Green 14-19.5 Kg / 31-43 Lbs

