

Link do produktu: <https://winmar.pl/monitor-podgladowy-osse-g7-7-wypozyczenie-p-176018.html>

Monitor podgladowy OSSE G7 7" - wypożyczenie



Cena brutto	123,00 zł
Cena netto	100,00 zł
Dostępność	Dostępny od ręki
Producent	OSEE

Opis produktu

OSSE G7 7"

Monitor Body

Weight(Bare Monitor)	450g
Dimensions(W x H X D)	192.0mm×116.3mm×24.7mm
Mounting Points	1/4" Thread Points (1*Top&1*Bottom)
Fan	Fan speed adjustable

Display

Panel Size	7inch
Resolution	1920X1080
Aspect Ratio	16:10
Color Depth	1.06G
Brightness	3000nits
Contrast	1200:1
Anamorphic De-squeeze	1x, 1.33x, 1.5x, 1.66x, 1.8x, 2x, 2xMAG
DSLR	ScaleCanon 5D Mark 2, Canon 7D
Zoom	2x, 4x Zoom and Pan
Screen Rotate	Auto/0°/180°

Power

Input Voltage	DC IN 11-17V, Battery 6-8.4V
Battery Plate	SONY NP-F
Power Consumption	16.2W

Data I/O

SD Card Slot	3DLUT upload and Firmware Upgrade
Input/Output Signal	HDMI(1.4) 3840x2160p(30/29.97/25/24/23.98)

	1080p(60/59.94/50/30/29.97/25/24/23.98)
	1080i(60/59.94/50)
	720p(60/59.94/50)
	480i/576i/480p/576p
	SDI
	2KP60/59.94/50
	1080P60/59.94/50/30/29.97/25/24/23.98
	1080i60/59.94/50
	1080SF30/29.97/25/24/23.98
	1035I60/59.94
Audio	3.5mm Headphone Jack

Software

Control

Volume Level	0-31 Adjustable
Backlight Level	0-10 Adjustable
Display Rotate	Screen Rotate Auto/0/180& Image Rotate 0/180
Anamorphic	1X/1.33X/1.5X/1.66X/1.8X/2X/2XMAG/Off
DSLR Scale	None/CANON 5D MARK II/CANON 7D

Frame Tools

Aspect	4:3/1.85:1/2.39:1/16:9/Custom Ratio, Matte/Line Mode
Safe	16:9 / 14:9 / 4:3, Action&Title Selectable
Center	On/Off
Cross Hatch	2x2, 3x3 ... 9x9

Exposure Tools

False Color	17 Curves
Zebra Level	1-100 Adjustable
Waveform	LUMA/RGB/Parade Mode, Size&Location&Opacity Adjustable
Vector Scope	Location&Opacity Adjustable

Fous Tools

Focus Assist	White/Red/Green/Blue Mode, B&W Background, Sensitivity Level 1-10
Adjustable	
Peaking Intensity	Level 0-10 Adjustable

Look Tools

Look	Built-in 33 De-log 3D LUTs/Support 16 User 3DLUTs Import by SD
Card	
Audio Meter	Location&Opacity Adjustable

Scale Tool

Image Scale	Location Adjustable
-------------	---------------------

